



Head Office
Ammeraal Beltech Holding B.V.
Handelsstraat 1
P.O. Box 38
1700 AA Heerhugowaard
The Netherlands
T +31 (0)72 57 51 212
F +31 (0)72 57 16 455

info@ammeraalbeltech.com
www.ammeraalbeltech.com

Your service network



- >> **Austria**
Vienna
T +43 (0) 1 2929372
F +43 (0) 1 2928906
- >> **Belgium**
Groot-Bijgaarden
T +32 (0) 2 466 0300
F +32 (0) 2 466 4272
- >> **Brazil**
São Paulo
T +55 11 465 512 44
F +55 11 465 510 99
- >> **Canada**
Mississauga
T +1 905 890 1311
F +1 905 890 3660
- >> **China**
Shanghai
T +86 21 6533 2222
F +86 21 6548 0430
- >> **Czech Republic**
Jihlava
T +420 56 7330 056
F +420 56 7330 637
- >> **Finland**
Tampere
T +358 (0)3 278 4400
F +358 (0)3 273 1400
- >> **France**
Seclin Cedex
T +33 (0) 3 20 90 36 00
F +33 (0) 3 20 32 29 17
- >> **Germany**
Geesthacht
T +49 (0) 4152 937-0
F +49 (0) 4152 77695
- >> **Italy**
Minerbio (Bologna)
T +39 (0) 51 660 60 06
F +39 (0) 51 660 60 16
- >> **Luxembourg**
Howald
T +352 26 483 856
F +352 26 483 857
- >> **Malaysia**
Puchong
T +60 3 80618849
F +60 3 80618935
- >> **Netherlands**
Heerhugowaard
T +31 (0) 72 57 51212
F +31 (0) 72 57 43364
- >> **Portugal**
Maia
T +351 22 947 94 40
F +351 22 941 30 81
- >> **Singapore**
Singapore
T +65 62739767
F +65 62735490
- >> **Slovakia**
Bratislava
T +421 (0) 2 55648541
F +421 (0) 2 55648543
- >> **South Korea**
Kyunggi-do
T +82 (0) 31 448 3613-7
F +82 (0) 31 448 3618
- >> **Spain**
Barberà del Vallés
T +34 (0) 93 718 3305
F +34 (0) 93 718 6273
- >> **Sweden**
Hanaskog
T +46 (0) 44 43015
F +46 (0) 44 43349
- >> **Switzerland**
Jona
T +41 (0) 55 2253 535
F +41 (0) 55 2253 636
- >> **Thailand**
Bangkok
T +66 2 902 2604-13
F +66 2 902 0422
- >> **United Kingdom**
Hertford
T +44 1992 500550
F +44 1992 553010
- >> **USA**
Chicago
T +1 847 673 6720
F +1 847 673 6373

Your local contact

Contact us to find your
nearest distributor.

Profiles

Technical overview
Product range standard profiles





Only by development and precision we can provide the right solution.

>> Our quality standards are set to match the highest requirements of our customer's individual applications <<


Profiled belts to meet any requirement

On the basis of its many years interaction with engineers and end users, **Ammeraal Beltech** has developed a comprehensive range of profiled belts, capable of meeting all the requirements of industry with respect to

efficient product handling. Practically every **Ammeraal Beltech** belt can be embossed with one of our available profiles, while specific requirements can be developed in close cooperation with the customer.



To give you an impression of the practically unlimited possibilities that exist for improving your product handling, a few of our more successful profiled belts can be found on the following pages.

A2 Fine rectangle




>> confectionery, meat industry
>> p.d.: 0.2 mm, m.w.: 2200 mm

A5 Cone



>> meat industry, magnetic elevators
>> p.d.: 2.6 mm, m.w.: 1950

A7 Lateral rope




>> canning industry
>> p.d.: 1.9 mm, m.w.: 1150 mm
>> pitch 16 mm, ribs square, 2 mm wide

A9 Coin




>> meat industry
>> p.d.: 3.4 mm, m.w.: 1150 mm
>> dia. 16 mm, pitch 30 mm

A11 Rib




>> drum lagging, tracking strips
>> p.d.: 2.1 mm, m.w.: 1150 mm
>> pitch 7.5 mm, ribs square, width 2.5 mm

A14 Weave




>> packaging, bakeries
>> p.d.: 0.4 mm, m.w.: 2850 mm
>> pitch 4.5 mm, diagonal impression

A15 Nipple




>> drum lagging, laundries, packaging, magnetic elevators
>> p.d.: 1.0 mm, m.w.: 2200 mm
>> dia. 2 mm

A16 Nipple (cone shape)




>> tobacco industry, magnetic elevators
>> p.d.: 1.5 mm, m.w.: 1110 mm
>> dia. 2.5 mm, pitch 9 mm

A17 Nipple 4.5 mm




>> laundry, metal polishing, harvesting
>> p.d.: 4.5 mm, m.w.: 1120 mm
>> dia. 6.0, pitch 13 mm

A19 Diamond 18 mm




- >> wood sanding
- >> p.d.: 4.2 mm, m.w.: 1950 mm
- >> pitch 18 x 18 mm, diagonal

A20 Diamond 65 mm




- >> airport check-in
- >> p.d.: 4.5 mm, m.w.: 2200 mm
- >> diagonal 65 x 65 mm

A21 Fine diamond




- >> confectionery, bakery industry
- >> p.d.: 0.2 mm, m.w.: 2000 mm
- >> diamonds 2.5 x 1.5 mm

A22 Sandblast (medium)




- >> treadmills, drum lagging
- >> m.w.: 2200 mm

A24 Herringbone




- >> fish industry, textile industry
- >> p.d.: 2.3 mm, m.w.: 950 mm
- >> pitch 9 mm

A25 Cocks comb




- >> packaging industry
- >> p.d.: 4.3 mm, m.w.: 1150 mm

A26 Pyramid




- >> marble and granite industry
- >> p.d.: 1.9 mm, m.w.: 1100 mm

A27 Supernipple




- >> inclined applications
- >> p.d.: 3.0 mm, 1060 mm
- >> dia. 2 mm

A30 Chequer




- >> airport check-in (small angle of inclination)
- >> p.d.: 1.7 mm, m.w.: 1070 mm

A31 Longitudinal




- >> vegetable sorting
- >> p.d.: 3.2 mm, m.w.: 1100 mm
- >> width 20 mm, ribs semi-round, 7 mm wide

A32 Fine rib (longitudinal, small)




- >> general inclined transport
- >> p.d.: 0.8 mm, m.w.: 2200 mm
- >> pitch 1.5 mm

A34 Supergrip




- >> inclined applications
- >> p.d.: 2.4 mm, m.w.: 2200 mm

A42 Supergrip (wave)




- >> inclined applications
- >> p.d.: 2.4 mm, 2100 mm
- >> waving, low noise execution

A44 Interrib




- >> tobacco industry
- >> p.d.: 1.8 mm, m.w.: 2200 mm
- >> ribs 32 x 4 mm, pitch l = 58 mm, w = 20mm

A45 Bermuda




- >> fish industry
- >> p.d.: 0.7 mm, m.w.: 1150 mm
- >> pitch 4 mm

A46 Button




- >> tobacco industry
- >> p.d.: 2.0 mm, m.w.: 1150 mm
- >> dia. 9 mm, pitch l = 35 mm, w = 19 mm

A47 AmWeave



- >> inclined applications
- >> m.w.: 2200 mm
- >> low noise execution

A50 Wavegrip




- >> small inclined applications, marble polishing
- >> p.d.: 1.0 mm, m.w.: 2100 mm
- >> waving, low noise execution

A66 Supersonic




- >> airport, check-in
- >> p.d.: 6.0 mm
- >> pitch l = 185 mm, w = 150 mm

F1 Light fabric emboss




- >> food, printing, packaging, reduce friction
- >> p.d.: 0.1 mm, m.w.: 2000 mm
- >> pitch 0.8 mm

F2 Kleen emboss




- >> food, printing, packaging, release and incline
- >> p.d.: 0.2 mm, m.w.: 2000 mm
- >> pitch 1.5 mm

F3 Low friction emboss




- >> food, printing, packaging, cooling tunnel
- >> m.w.: 2000 mm
- >> pitch 2 mm

P2 Negative rhomboid




- >> confectionery, bakery industry
- >> p.d.: 0.4 mm, m.w.: 1500 mm
- >> diamonds 3 x 2 mm

P3 Negative rectangle




- >> general application
- >> m.w.: 1600 mm

P4 Longitudinal ribs 25 mm




- >> agriculture, horticulture
- >> p.d.: 4.0 mm, m.w.: 1500 mm
- >> width 25 mm

P5 Fabric structure




- >> packaging, bakery industry
- >> p.d.: 0.4 mm, m.w.: 2000 mm
- >> pitch 4.5 mm, diagonal impression

P6 Grip face




- >> inclined applications
- >> p.d.: 3.5 mm, m.w.: 2000 mm

P7 Mini-grip




- >> packaging, bakery and tobacco industry
- >> p.d.: 1.0 mm, m.w.: 1600 mm
- >> straight

P8 Small longitudinal ribs




- >> general inclined transport
- >> p.d.: 0.6 mm, m.w.: 3000 mm
- >> width 1.5 mm

P9 Longitudinal ribs 5 mm




- >> grip in wet circumstances
- >> p.d.: 3.0 mm, m.w.: 1500 mm
- >> width 5 mm

P10 Treadmills




- >> treadmills
- >> m.w.: 3200 mm

P11 Transverse ribs, large




- >> drum lagging, tracking strips
- >> p.d.: 2.7 mm, m.w.: 1500 mm
- >> pitch 8 mm, ribs square, width 2.5 mm

P12 Triangle transverse ribs




- >> fish industry
- >> p.d.: 1.5 mm, m.w.: 1600 mm
- >> width 3.5 mm

P13 Sawtooth (bigger pitch)




- >> meat, fish, poultry industry
- >> p.d.: 1.8 mm, m.w.: 1600 mm
- >> pitch 9 mm

P14 Longitudinal ribs 50 mm




- >> wood industry
- >> p.d.: 3.0 mm, m.w.: 1500 mm
- >> width 50 mm

P17 Fine fabric structure




- >> general application
- >> m.w.: 3000 mm

P18 Medium fabric structure



- >> general application
- >> m.w.: 3000 mm

P19 Stipple top (small nipples)




- >> drum lagging, laundries, packaging, magnetic elevators
- >> p.d.: 1.0 mm, m.w.: 1500 mm
- >> dia. 1.5 mm

P20 Big nipple top 27 mm




- >> tobacco industry (PVC)
- >> p.d.: 2.0 mm, m.w.: 1500 mm
- >> dia. 9 mm, pitch l = 27 mm, w = 10 mm

P21 Big nipple top 35 mm




- >> tobacco industry (PE)
- >> p.d.: 2.0 mm, m.w.: 1500 mm
- >> dia. 9 mm, pitch 35 mm

P22 Sand pattern (smooth)




- >> treadmills, drum lagging
- >> m.w.: 1600 mm

P23 Random pattern (boomerang)




- >> fish industry
- >> p.d.: 1.0 mm, m.w.: 1500 mm

P24 Basket weave




- >> inclined applications
- >> m.w.: 3000 mm

P25 Ramps




- >> marble polishing, ceramic grinding, mail sorting
- >> p.d.: 5.0 mm, m.w.: 3000 mm

P26 Square sander




- >> wood sanding
- >> p.d.: 3.0 mm, m.w.: 1500 mm
- >> pitch 18 x 18 mm, rectangular

P27 Herringbone (grooved)




- >> fish industry
- >> p.d.: 2.5 mm, m.w.: 3000 mm
- >> pitch 9 mm

P29 Positive rhomboid




- >> confectionery industry
- >> m.w.: 1500 mm

P31 Reversed ramp profile




- >> marble industry
- >> p.d.: 5.0 mm, m.w.: 3000 mm

P32 Pillow




- >> tobacco industry
- >> p.d.: 2.0 mm, m.w.: 2000 mm

P34 Oval studs (tobacco)




- >> tobacco industry
- >> p.d.: 1.5 mm, m.w.: 1600 mm
- >> ribs 19 x 4 mm, pitch l = 30 mm, w = 14 mm

P35 Spots (round shape)




- >> tobacco industry, magnetic elevators
- >> p.d.: 1.1 mm, m.w.: 1600 mm
- >> dia. 2.5 mm, pitch 9 mm

P36 Big square (airport)




- >> airport check-in
- >> p.d.: 4.5 mm, m.w.: 1500 mm
- >> diagonal 70 x 70 mm

P38 Very fine fabric structure




- >> paper and printing industry
- >> m.w.: 1500 mm

P40 Curved cleat




- >> agriculture, ceramic industry
- >> p.d.: 13 mm, m.w.: 600 mm
- >> pitch 200 mm

P41 Transversal ribs (spaghetti)




- >> inclined transport, food
- >> p.d.: 3.0 mm, m.w.: 1500 mm
- >> pitch 20 mm

P45 Rough top (bigger nipples)




- >> inclined transport, heavy applications
- >> p.d.: 3.5 mm, m.w.: 1500 mm

P47 Inverted diamond




- >> confectionery industry
- >> m.w.: 1600 mm

P48 Longitudinal groove




- >> paper & print, cardboard
- >> p.d.: 1.5 mm, m.w.: 2000 mm

P49 Big nipple top 65 mm




- >> tobacco, inclined conveying (PVC)
- >> p.d.: 2.6 mm, m.w.: 1600 mm
- >> pitch 65 mm

P50 Grip face (wave)




- >> inclined applications
- >> p.d.: 3.5 mm, m.w.: 3200 mm
- >> low noise execution

C5 Light fabric




>> general application, tire industry
>> m.w.: 1829 mm

C37 Supergrip




>> universal
>> p.d.: 3.5 mm, m.w.: 1829 mm

C46 Pyramid top




>> food, tobacco industry
>> p.d.: 2.1 mm, m.w.: 1524 mm
>> pitch 4 x 4 mm

C52 Diamond impression




>> wood sanding, airports, logistics
>> p.d.: 4.0 mm, m.w.: 1829 mm
>> diamonds 28 x 9 mm

C57 Neatgrip




>> treadmills, bakeries, dough handling
>> p.d.: 1.2 mm, m.w.: 1829 mm

C68 Chemclimb




>> wet inclinations
>> p.d.: 4.0 mm, m.w.: 1524 mm
>> ovals 13 x 4 mm

C69 Meatcleat




>> meat, poultry, seafood
>> p.d.: 2.8 mm, m.w.: 1829 mm
>> pitch 25 mm

C71 Chemridge




>> general inclined transport
>> p.d.: 4.0 mm, m.w.: 1524 mm
>> pitch 13 mm

C72 Sandgrit (rough)




>> drum lagging, textile industry – non-slip tape
>> m.w.: 1524 mm

C73 Light Supergrip




>> textile industry – non-slip tape
>> p.d.: 2.4 mm, m.w.: 1524 mm
>> pitch 6 mm

A8-P15 Pepita




>> inclined transport in clean circumstances
>> m.w.: 2200 mm

A13-P28 Sawtooth




>> meat, fish, poultry industry
>> p.d.: 2.0 mm, m.w.: 2000 mm
>> pitch 7 mm

A18-P1 Fine square pyramid




>> bakery industry, rubber industry
>> p.d.: 0.5 mm, m.w.: 3000 mm

A54-P33 Marathon



>> treadmills
>> m.w.: 2000 mm

A58-P39 Charlie



>> confectionery industry
>> m.w.: 1700 mm